

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

#### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product identifier

**Trade name:** Grouting compound type 1000A1 Comp. C, filler**Article number:** 1000A1 Komp.C**UFI:** RQ00-7098-K00X-4S6G

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Quartz mixture for casting compound

**Application of the substance / the mixture** Auxiliary

##### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Kistler Instrumente AG

Eulachstrasse 22

8408 Winterthur, Schweiz

**Further information obtainable from:**

+1 716 691 5100

Monday to Friday 7 am – 5 pm (EST)

**1.4 Emergency telephone number:** +49 (0)6132-84463 (24 h; GBK GmbH)

#### \* SECTION 2: Hazards identification

##### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

##### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**Additional information:**

EUH210 Safety data sheet available on request.


##### 2.3 Other hazards

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

#### \* SECTION 3: Composition/information on ingredients

##### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 14808-60-7	quartz	substance with a Community workplace exposure limit	99-100%
CAS: 14808-60-7	Quartz (inhalable fraction)	 STOT RE 1, H372	0.1-1%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 1)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

##### After swallowing:

If symptoms persist consult doctor.

Do not induce vomiting! Rinse mouth and drink plenty of water.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Avoid contact with skin and eyes.

Ensure adequate ventilation

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

**Information about fire - and explosion protection:** Keep respiratory protective device available.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 2)

**Further information about storage conditions:**

None.

Store under lock and key and with access restricted to technical experts or their assistants only.

**7.3 Specific end use(s)** No further relevant information available.

## \* SECTION 8: Exposure controls/personal protection

**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 14808-60-7 quartz**OEL Long-term value: 0.1 mg/m<sup>3</sup>**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

**Respiratory protection:**

Respiratory protection recommended when the TLV limit is exceeded .

Use suitable respiratory protective device in case of insufficient ventilation.

**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Butyl rubber, BR

**Eye/face protection**

Tightly sealed goggles

**Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Solid

(Contd. on page 4)

IE

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 3)

<b>Colour:</b>	Beige
<b>Odour:</b>	Odourless
<b>Boiling point or initial boiling point and boiling range</b>	2230 °C
<b>Flammability</b>	Not determined.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Mixture is non-soluble (in water).
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>Dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>water:</b>	Insoluble.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	2-3 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	See section 3.
<b>9.2 Other information</b>	
<b>Appearance:</b>	
<b>Form:</b>	Solid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	In general, product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not applicable.
<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

IE

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 4)

#### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**Primary irritant effect:****Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** No CMR effects known.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

#### SECTION 12: Ecological information

**12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects****Other information:** Do not discharge into drains, surface waters or groundwater.**Additional ecological information:****General notes:** Not hazardous for water.

— IE —  
(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 5)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

##### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR, IMDG, IATA

Void

#### 14.2 UN proper shipping name

ADR, IMDG, IATA

Void

#### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Void

#### 14.4 Packing group

ADR, IMDG, IATA

Void

#### 14.5 Environmental hazards:

Marine pollutant:

No

#### 14.6 Special precautions for user

Not applicable.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

#### UN "Model Regulation":

Void

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

##### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

##### **REGULATION (EU) 2019/1148**

##### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

##### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

##### **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

(Contd. on page 7)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.06.2025

Version number 1

Revision: 05.06.2025

Trade name: Grouting compound type 1000A1 Comp. C, filler

(Contd. of page 6)

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

The information corresponds to the current state of knowledge. Kistler reserves the right to make technical changes. Liability for consequential damage resulting from the use of Kistler products is excluded.

©2025 Kistler Group, Eulachstrasse 22, 8408 Winterthur, Switzerland

Phone +41 52 224 11 11, Fax +41 52 224 14 14, info@kistler.com, www.kistler.com

Kistler is a registered trademark of Kistler Holding AG.

#### Relevant phrases

H372 Causes damage to organs through prolonged or repeated exposure.

Date of previous version: 05.06.2025

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

\* Data compared to the previous version altered.